BASIC TROUBLESHOOTING

Robot, Tablet, or Base Station not working as they should? Check the following first:

1. Are the batteries in the Tablet, the Robot, and the Base Station fully charged?
2. Is the Robot's battery seated properly in its compartment? Is the compartment latch locked?
3. Are the antennas attached to the Base Station and the Robot?
4. Is the Tablet connected to the Robot's WiFi? After restarting the Robot, was the Tablet reconnected to the Robot's WiFi?
5. Is "Roaming Data" turned on in the Tablet's settings?
6. Do the App and Robot's software versions match? Are they updated to the latest versions?
7. Reboot the Robot and the Tablet. Shut them down completely, then power up again.

Still having trouble?
Call or text 1-770-818-6020 (US) for help.


SCAN CODE OR GOTO
TURFTANK.WIKI FOR MORE INFO & USAGE INSTRUCTIONS

IMPORTANT DAILY TASKS


- [ ] **Charge batteries - EVERY DAY.**
  - > Charge Robot Batteries.
  - > Charge the Tablet.
  - > Charge the Base Station.
- [ ] **Monitor battery life on the Tablet, Robot, and Base Station.**
  - > If you paint more than five (5) hours a day, consider an external battery for the Base Station.
  - > For best performance and to prevent damage, keep Batteries on all components >25% charge.
- [ ] **Check the field you are painting, clear obstacles, etc.**
- [ ] **Clean Robot thoroughly after EVERY use.**
  - > Remove Quick Fan Cap, Spray Nozzle, Gasket, and Chamber Reducer. Wash them all with warm water.
  - > Run warm (not boiling) water through the Paint System (Hoses, Pump, Sprayer) until clear.
  - > Remove the Mesh Filter from the tube in the Paint System and wash it in warm water.

GET TO KNOW
TURF TANK ONE

EXTERIOR



Rover
Safety Light
On Switch
Emergency Stop
Shields (Pair)
Robot Antenna
Front Wheel



Front Bumper
Rover
Disc Width Adjustment Knob
Sprayer Height Adjustment Knob
Battery and Paint Compartment
Spray Discs
Robot Antenna


SCAN CODE OR GOTO
TURFTANK.WIKI FOR MORE INFO & USAGE INSTRUCTIONS

Something not right? Questions?
Call a Robot Expert anytime: 770-818-6020

v1-0422

GET TO KNOW
TURF TANK ONE

PAINT SYSTEM




SCAN CODE OR GOTO TURFTANK.WIKI FOR MORE INFO & USAGE INSTRUCTIONS

Something not right? Questions?
Call a Robot Expert anytime: 770-818-6020

v1-0422

GET TO KNOW BASE STATION



Version 1 - North Group



SCAN CODE OR GOTO
TURFTANK.WIKI FOR MORE INFO & USAGE INSTRUCTIONS

Something not right? Questions?
Call a Robot Expert anytime: 770-818-6020


BASE STATION PLACEMENT



Physical Components



1. Determine where you want to place your Base Station. This will be the spot where the Base Station is placed every time you wish to paint your fields.




2. Once you have selected where the Base Station will go, install a Turf Tank Ground Spike in that spot.

3. Place the Tripod where the Ground Spike has been installed so that the Prism Pole (center pole of Tripod) rests in the Spike.



4. Ensure the Tripod's level bubble is centered.

Make sure the Tripod is level throughout operation.



5. Attach the Large Antenna (29 cm) to the Base Station.

6. Attach the Base Station to the Prism Pole.

DO NOT TURN ON BASE STATION WITHOUT AN ATTACHED ANTENNA

Something not right? Questions?
Call a Robot Expert anytime: 770-818-6020

USE AN EXISTING BASE STATION POSITION

1. Turn on the Base Station by holding the Push Button for three seconds, until you hear 6 beeps, then release.


2. When the satellite number reaches 13 or more and TX appears on the screen, press and hold the Push Button again until the bar on the screen loads fully (a count of three).

3. AUTO SELECT POSITION will appear (it is the first option in the menu).

4. Hold the Push Button again for a count of three.

5. RESULT POSITION OK will appear when the Base Station has successfully established its GPS position.

6. Raise the Base Station on the Prism pole 10-12 feet to its operational height.



MAKE A NEW BASE STATION POSITION



1. Turn on the Base Station by holding the Push Button for three seconds, until you hear 6 beeps, then release.

2. When the satellite number reaches 13 or more and TX appears on the screen, press and hold the Push Button again until the bar on the screen loads fully (a count of three) to enter the menu.

Press and hold the Push Button for a three-count on any screen to select the option that is currently displayed.

3. Press the Push Button (one press at a time) to cycle through menu options until the screen reads SET POSITION.

4. Hold the Push Button for a count of three. CREATE NEW will appear.

5. Hold the Push Button for a count of three to allow the Base Station to Save the new Position.

This Save process can take up to two minutes.

6. When complete, the Base Station will begin a series of beeps.

ATTENTION: Touch nothing until RESULT POSITION OK appears and all beeps have stopped.

7. Raise the Base Station on the Prism pole 10-12 feet to its operational height.

Success! Open the Turf Tank App and create your New Location, New Plan, and New Field!



SCAN CODE OR GOTO TURFTANK.WIKI FOR MORE INFO & USAGE INSTRUCTIONS

Something not right? Questions?
Call a Robot Expert anytime: 770-818-6020